

## PRODUCT DATA SHEET

Date: 07/15/2025

**Spinnaker** 550 Summit Avenue Troy, Oh 45373 800 543-9452

## DiversiPrint® Gloss White Laser Polyester \*\* 4LZ<sup>TM</sup> Permanent \*\* 50# 0-Split

Facestock: **DiversiPrint® Gloss White Laser Polyester** A 2.0 mil white topcoated polyester film featuring excellent laser print quality, adhesion, and durability. It is very resistant to high heat, tear, abrasion, solvents, and water. Stock item features stripped edges which virtually eliminates the risk of adhesive contamination while printing.

Basis Weight: Caliper: GSM: **Typical Value** 53.5 #/3300 ft<sup>2</sup> 2 mils 179

Adhesive: <b>4LZ™ Permanent</b>	This acrylic adhesive provides excellent ultimate adhesion to a wide variety of substrates and designed to be compatible with most low-speed and high-speed laser printers
	Typical Value
Caliper:	.6 mils
Service Temperature:	-40 to 240 °F
Minimum Application Temperature:	15 °F

Release Liner: 50# 0-Split	This liner is a bleached white machine finished C2S sheet specifically designed with layflat characteristics making it an excellent choice for high speed laser printers as well as most desktop models.
	Typical Value
Basis Weight:	51.4 #/3300 ft <sup>2</sup>
Caliper:	3.4 mils
Tensile MD/CD:	31 / 15 #/inch
Tear MD/CD:	37 / 50 grams
Opacity:	82%

**Total Product Caliper:** 6 mils **Product Basis Weight Per MMSI:** 259.03 # **Shelf Life:** 12 month(s) when stored at 72° F, 50% RH For application recommendations call 877-210-5104 For samples or other questions please call your Sales Representative.

## Important Notice

These are typical values and should not be considered a specification. Adhesive properties were tested with a film facestock unless denoted with an asterisk(\*).

All trademarks are the property of their respective owners.

All information, recommendations for use, product designations, and descriptive materials about Spinnaker Pressure Sensitive Products, LLC products are believed to be reliable, but the furnishing of such information, recommendations for use, product designations, and descriptive material is for informational purposes only and does not constitute a warranty of any kind by Spinnaker Pressure Sensitive Products, LLC. Because of the variety of possible applications for Spinnaker's products and the continuing development of new applications, all Spinnaker Pressure Sensitive Products, LLC products are sold with the understanding that each purchaser will independently determine the suitability of any product for the purchaser's intended application, converting, and print processes. Spinnaker Pressure Sensitive Products, LLC will review, and may modify the information contained in this document from time to time and customers should ensure they have the most recent information.

Last Revision: 08/26/2024