


CLAMPITT

STICKER STOCK

FROM CLAMPITT PAPER COMPANY



BEN STICKIN

Digital & Offset

For ultimate performance and print reproduction, call the Paper People at **Clampitt Paper Company** and get your hands on the best selection of premium quality sticker stocks in the business!

Clampitt carries a complete line of pressure-sensitive materials for all your pressure-sensitive needs. So whether you're looking for an aggressive adhesion product or an all-purpose removable sticker stock, stick with Clampitt!

Clampitt Sticker Stock

Pressure Sensitive Paper & Film Products

	Size	GSM	S=Scored Liner/D=0-Split Liner	Permanent Adhesive #	Ultra Rem Adhesive #	Shets/Carlon
DiversiPrint® for production toner presses, laser printers, and copiers						
60# Gloss	8.5x11	198	S	5512275		1000
	12x18	198	S	5512276		200
55# Semi Gloss	12x18	193	S	5512272		200
60# Ultra Matte™	12x18	202	S	5512278		200
60# Bright White	8.5x11	202	S	5512273		1000
10% PCW and ink jet printable	12x18	202	S	5512274		200

Digital Dual Print for HP Indigo digital presses, production toner presses, and laser printers

Matte White Digital Vinyl	12x18	273/270 ^R	S	5512281	5512282	200
---------------------------	-------	----------------------	---	---------	---------	-----

Digi™ for HP Indigo digital presses

Gloss Optimized	12x18	223	S	5512266		200
Semi Gloss	12x18	220	S	5512270		200
Matte	12x18	221	S	5512267		200
	13x19	221	S	5512290		200
Uncoated Finch Fine® iD	12x18	227	S	5512271		200

Multi-Purpose Die Cuts for production toner presses, laser printers, and copiers

96 Bright White / Permanent / 8.5x11	3 1/2 x 5	4 labels/sheet	5512259	Avery® template ref 5168™	1000
	4 x 3 1/3	6 labels/sheet	5512260	5164™	1000
	4 x 2	10 labels/sheet	5512261	5163™	1000
	2 5/8 x 1	30 labels/sheet	5512262	5160™	1000
	3 1/3 Circles	6 labels/sheet	5509032		1000
	2 1/2 Circles	12 labels/sheet	5509035	5294™	1000
	2 Circles	20 labels/sheet	5509036		1000
50# Uncoated Name Badge / Acrylic Badge Adhesive with micro-perfs / 8.5x11	3 3/8 x 2 1/3	8 labels/sheet	5512263		1000

Offset-Printable

60# High Gloss	8.5x11		S	5512244	1000
	17.25x22.25		S	5512245	500
	26x20		S	5512246	500
60# Semi Gloss	8.5x11		S	5512252	1000
	26x20		S	5512254	500
60# Offset	8.5x11		S	5512247	1000
	17.25x22.25		S	5512248	500
	26x20		S	5512249	500
60# Red Fluorescent	8.5x11		S	5512251	1000
60# Green Fluorescent	8.5x11		S	5512243	1000

For optimal printer settings, approvals and certifications, visit clampitt.com.
^R Indicates GSM value for removable adhesive item.



DiversiPrint®

For Production Toner Presses, Laser Printers, and Copiers


	Size	GSM	5-Scored Line/0-5-Split Line	Permanent Adhesive #	Rem Adhesive #	Sheet/Carroll
DiversiPrint® Paper Products						
60# Gloss	8.5x11	198	S	5512275		1000
	12x18	198/209*	S	5512276	44501	200
	12x18	198	S	2128		500
	12x18	198	0	44638		200
	13x19	198	S	48700		200
55# Semi Gloss	12x18	193	S	5512272		200
	12x18	193	0	49038		200
60# Ultra Matte™	8.5x11	202	S	2133		1000
	12x18	202/213*	S	5512278	44503	200
	12x18	202	S	2131		500
	12x18	202	0	49041		200
60# Bright White 10% PCW and ink jet printable	8.5x11	202	S	5512273		1000
	8.5x11	202	0	2531		1000
	12x18	202	S	5512274		200
	12x18	202	S	2134		500
	12x18	202	0	44505		200
	12x18	202	0	2529		500
	13x19	202	S	48701		200
60# Gloss Cover-up	12x18	206	S	44506		200
60# Ultra Matte™ Cover-up	12x18	210	S	44507		200

DiversiPrint® Film and Specialty Products						
Gloss White Laser Polyester	12x18	179	0	48321		200
Matte White Laser Polyester	12x18	183	0	45955		200
Gloss Clear Laser Polyester	12x18	185	0	44827		200
Digital Satin Cloth	12x18	262	S	45709		200

For Digital Printing

For optimal printer settings, approvals, and certifications, visit clampitt.com.

Clampitt Sticker Stock item numbers shown in bold; other item numbers reference Spinnaker Strip-Tac® brand. GSM denotes typical values. * Indicates GSM value for removable adhesive item.



Digital Dual Print Films

For HP Indigo Digital Presses, Production Toner Presses, and Laser Printers

	Size	GSM	5-Scored Line/0-5-Split Line	Permanent Adhesive #	Rem Adhesive # (Rem)	Sheet/Carroll
Digital Dual Print Films						
7 Mil Digital Teslin®	12x18	251	S	44932		200
Matte White Digital Vinyl	12x18	273/270 ^R	S	5512281	5512282	200
	12x18	273/270 ^R	0	45511	45509	200
	13x19	273/270 ^R	S	46759	46760	200
	29.5x20.5	273/270 ^R	S	47675	47672	200
Matte Clear Digital Vinyl	12x18	264/261 ^R	0	45508	45505	200
	13x19	264/261 ^R	0	46761	46762	200


Digi™

For HP Indigo Digital Presses

Digi™ Paper Products						
Gloss Optimized	12x18	223	S	5512266		200
	12x18	223	S	9799		500
	12x18	223	0	44639		200
	13x19	223	S	44509		200
	29.5x20.5	223	S	47524		200
Semi Gloss	12x18	220	S	5512270		200
	13x19	220	S	45684		200
Matte	12x18	221/238 ^R	S	5512267	45687	200
	12x18	221	S	9801		500
	12x18	221	0	49039		200
	13x19	221	S	5512290		200
	29.5x20.5	221	S	47521		200
Uncoated Finch Fine® iD 10% PCW	12x18	227	S	5512271		200
	12x18	227	S	43099		500
	12x18	227	0	44640		200
	13x19	227	S	45683		200
8 Pt Tag Optimized	12x18	320	S	44514		200
Gloss Cover-up Optimized	12x18	232	S	44515		200
Matte Cover-up	12x18	231	S	44516		200

For optimal printer settings, approvals, and certifications, visit clampitt.com.

Clampitt Sticker Stock item numbers shown in bold; other item numbers reference Spinnaker Strip-Tac® brand. GSM denotes typical values. * Indicates GSM value for removable adhesive item.



Multi-Purpose Die Cuts

Designed for today’s demanding digital print systems

All 96 Bright White 8 1/2x11 die cut products (except S4401A) are manufactured with Adhesive-Free Edges, which offers trouble-free processing by eliminating adhesive from the outer 1/16” edge of the sheet.



Stock #	Labels/Sheet	Label size	Inner carton packaging	Sheets/Cartron	Aven® template ref
96 Bright White Uncoated / Permanent / 8 1/2x11					
S4401A*	1	8 1/2 x 11	100 box	1000^	5165™
S4402	2	8 1/2 x 5 1/2	100 box	1000^	
S4304	4	4 x 5	100 box	1000^	
5512259	4	3 1/2 x 5	100 box	1000	5168™
S4704	4	3 x 5	100 box	1000^	
S4404	4	4 1/4 x 5 1/2	100 box	1000^	
5512260	6	4 x 3 1/3	100 box	1000	5164™
S4306BK	6	4 x 3 1/3	250 wrap	1000	5164™
S4308	8	4 x 2 1/2	100 box	1000^	
S4408	8	4 1/4 x 2 3/4	100 box	1000^	
5512261	10	4 x 2	100 box	1000	5163™
S4310BK	10	4 x 2	250 wrap	1000	5163™
S4512	12	2 x 3	100 box	1000^	
S4314	14	4 x 1 1/3	100 box	1000^	5162™
S4320¹	20	4 x 1	100 box	1000^	5161™
5512262²	30	2 5/8 x 1	100 box	1000	5160™
S4330BK²	30	2 5/8 x 1	250 wrap	1000	5160™
S4350	50	1 1/2 x 1	100 box	1000^	
S4380	80	1 3/4 x 1 1/2	100 box	1000^	5167™
Circles					
5509032	6	3 1/3 Circles	100 box	1000	
5509035	12	2 1/2 Circles	100 box	1000	5294™
5509036	20	2 Circles	100 box	1000	
S4024	24	1 2/3 Circles	100 box	1000^	5293™
S4030	30	1 1/2 Circles	100 box	1000^	
S4063	63	1 Circles	100 box	1000^	
S4120	120	3/4 Circles	100 box	1000^	
CD/DVD Labels					
S4602	2	4 5/8 CD/DVD	100 box	1000^	
60# Ultra Matte™ / Removable / 8 1/2 x 11					
83455	6	3 1/3 Circles	100 box	1000^	
83456	20	2 Circles	100 box	1000^	
Matte White Digital Vinyl / Ultra Removable / 12x18					
83454	6	5 1/2 Circles	100 wrap	200	
Auto Window Sticker - 50# Uncoated with liner die cut / 8 1/2x11					
S4801RC	1	8 x 10	100 box	1000^	
Name Badge - 50# BW Uncoated / Acrylic Badge Adhesive / 8 1/2x11					
5512263**	8	3 3/8 x 2 1/3	100 box	1000	5395™
Door Seals - 60# Ultra Matte™ / Removable / 12x18					
83439	10	5 1/2 x 3	100 wrap	200	

Custom Programs

Custom Die Cut Labels for Digital Printing

Wide variety of whites, colors, and film facestocks available

Order / Freight minimum as low as 1,000 sheets

Common digital sizes from 8 1/2 x 11 to 14 x 20

Full Sheet Digital Express Program

When non-stocking digital sheet sizes are needed for maximum printer efficiency

Products include papers and films with permanent, removable, and ultra-removable adhesives, and cover-up products — most stocking constructions are available

8 1/2 x 11, 8 1/2 x 14, 11 x 17, 12 x 18, 13 x 19, and 14 x 20 sheet sizes qualify

Items are bulk packed in cartons

Order / Freight minimum is 1,000 sheets / maximum 10,000 sheets*

Leadtime typically 5 - 10 business days
Larger quantities and additional digital sizes may have a longer leadtime

Tips for printing DiversiPrint® pressure sensitive

PAPER PRODUCTS

Laser printing after offset printing:

- For best laser processing results, immediately package offset printed stock in a moisture barrier wrap

Desktop and mid-range printers:

- Feed through manual feed tray
- Use “heavy paper” setting or set to proper GSM for best toner anchorage

High-speed laser printers:

- For best feeding results, use the belt/friction feed loading tray and the top delivery tray
- Use the appropriate weight setting for best toner anchorage and feeding

FILM PRODUCTS

- For best toner anchorage, use appropriate weight or thickness setting, which on some printers is the “heavyweight” setting
- When printing clear, choose the “white” setting so the printer will recognize the liner
- Use the maximum amount of static elimination
- If a jam occurs, turn the sheets so that the opposite edge becomes the feed edge as the jam may have been caused by a bent corner

Tips for printing Digital Dual Purpose Films

- Condition stock at pressroom conditions for a minimum of 24 hours
- Set to appropriate GSM and/or caliper or use “heavyweight” setting
- If film is clear, use “white” setting
- For HP Indigo, the blanket temperature may be increased to improve ink anchorage
- Use the maximum amount of static elimination

Tips for printing Digi™ pressure sensitive

- Condition stock at pressroom conditions for a minimum of 24 hours
- For best ink anchorage and feeding results, use appropriate GSM or thickness setting
- To improve ink anchorage, the blanket temperature may be increased

For more information, please contact your Clampitt Account Representative.

Clampitt Sticker Stock item numbers shown in **bold**; other item numbers reference Spinnaker Strip-Tac® brand.
¹ indicates 1 vertical perf ² indicates 2 vertical perfs ³ indicates 2 backsplits ^ Items also sold in individual 100 sheet box
*adhesive suitable for guillotine cutting ** name badge stock features micro perfs between labels



Pressure Sensitive Products for

Offset Printing

	Size	S	S=Scored Liner / 0 = No Scores	Item # (Perm. Adhesive)	Item # (Rem. Adhesive)	Sht./Ctn.
White Papers						
60# High Gloss	8.5x11	S	5512244			1000
	17.25x22.25	S	5512245			500
	17.25x22.25	0	2308			500
	26x20	S	5512246			500
	26x20	0	4543			500
	26x40	S	9933-1			100
60# Semi Gloss	8.5x11	S	5512252			1000
	17.25x22.25	S	9770	2300		500
	17.25x22.25	0	2299			500
	26x20	S	5512254	5312		500
	26x20	0	5315			500
	26x20	S	44577			3000
	26x20	0	46598			3000
	26x40	S	9935-1			100
	26x40	0	9934-1			100
60# Ultra Matte™	8.5x11	S	9603			1000
	17.25x22.25	S	9769			500
	17.25x22.25	0	2307			500
	26x20	S	6186			500
	26x20	0	6212			500
	26x40	S	9938-1			100
60# Offset	8.5x11	S	5512247	4436		1000
	17.25x22.25	S	5512248	2296		500
	17.25x22.25	0	2291			500
	26x20	S	5512249			500
	26x20	0	7985			500
60# Bright White	8.5x11	S	9604			1000
8 Pt C1S Tag	17x22	S	1614			500

Latex Impregnated

60# White Latex	17x22	S	3062			500
-----------------	-------	---	------	--	--	-----

60# Cover-ups

Coverglos™ (High Gloss)	17.25x22.25	S	9765			500
Semi Gloss Cover-up	17.25x22.25	S	2191			500
	26x20	S	44571			500
Covermatte™	8.5x11	S	9766			1000
	17.25x22.25	S	9767			500
Offset Cover-up	17.25x22.25	S	2280			500

	Size	S	S=Scored Liner / 0 = No Scores	Item # (Perm. Adhesive)	Item # (Rem. Adhesive)	Sht./Ctn.
60# Fluorescents						
Red	8.5x11	S	5512251			1000
	17x22	S	4368			500
Green	8.5x11	S	5512243			1000
	17x22	S	3037			500
Orange	8.5x11	S	9616			1000
	17x22	S	3038	1710		500
Chartreuse	8.5x11	S	5207			1000
	17x22	S	3039			500
Pink	8.5x11	S	9620			1000
	17x22	S	9328			500
60# Astrobrights®						
Solar Yellow	8.5x11	S	9653			1000
	17x22	S	9323			500
Lunar Blue ♻️ 30% PCW	8.5x11	S	9723			1000
	17x22	S	9319			500
Orbit Orange ♻️ 30% PCW	8.5x11	S	9320			1000
	17x22	S	9321			500
Re-Entry Red ♻️ 30% PCW	8.5x11	S	9605			1000
Gamma Green ♻️ 30% PCW	8.5x11	S	9943			1000


Other Colors

60# Brown Kraft	17x22	S	9949			500
60# Natural Cream ♻️ 30% PCW	8.5x11	S	40835			1000

	Size	S	S=Scored Liner / 0 = No Scores	Item # (Perm. Adhesive)	Item # (Rem. Adhesive)	Sht./Ctn.
Films						
2 Mil TC Clear Polyester	27x20	0	90#	14503		100
3.4 Mil TC Matte White Vinyl	24x18	S	45405			100
	27x20	S		45407		100
	27x38	S	45415			100
	27x38	0		45410		100
7 Mil Teslin®	12x18	S	44932			200
Specialty						
Satin Cloth	17.25x22.25	S	48801 (Badge)			100

Foils

Bright Gold	20x26	0	3004			100
Bright Silver	20x26	0	2976			100



Custom Programs

Offset-Print Express Ship Program

When non-standard sheet sizes are needed for optimal print layout, use the Express Ship custom size program.

60# High Gloss	Permanent	80# no print liner, scored & no score
60# Semi Gloss	Permanent & Removable	80# no print liner, scored & no score
60# Ultra Matte™	Permanent	80# no print liner, scored & no score
60# Offset	Permanent	80# no print liner, scored & no score

Order Size: 1.5 MMSI - 30 MMSI. Freight prepaid at 1.5 MMSI.
Typically ships in 2 - 4 business days from Columbus, IN. Standard pallet pack only.
Custom packaging requirements and/or large sheet sizes may require additional time.

Custom Products

When a special face, adhesive, or liner construction or custom size is required, Spinnaker offers a full line of custom products to meet your application needs. Please contact your account manager with your specific application.

The following describes typical order minimums:

- Custom sizes from coated product in-house: 1.5 MMSI
- Custom coated product from stocking components: 3 MMSI
- Custom order components: paper mill minimum

Support

Visit spinps.com and mactac.com for product guides, data sheets, print tips, newsletters, and more.

Need to talk to someone? For product recommendations, application testing, trouble-shooting, and printing tips, or other technical assistance, call the Technical Consulting Hotline at 1.877.210.5104 (8am to 5pm Eastern Time, Monday - Friday).



Print Tips

Tips for printing and converting Offset pressure sensitive

Storage:

- Store pressure sensitive stock on a flat surface in a cool dry area between 65 and 75 degrees at 50% relative humidity
- Break bands to relieve pressure on skid-packed stock
- Do not double stack skids or stack more than 5,000 sheets high
- Do not open sealed packages until ready to print
- Return unused stock to cartons or protective packaging

Press Preparation:

- Allow product to acclimate to shop conditions for at least 24 hours
- Clean and adjust grippers and guides to avoid miss-feeding through press
- Avoid loading stock higher than 6 inches
- Fan stock gently to separate before loading into press
- Reduce cylinder pressure as much as possible to prevent wrinkling

Inks and Varnish:

- Consult your ink supplier for recommendations based on pressure sensitive stock used
- Use a minimum amount of water and ink mixture for best results
- Fast drying oxidizing inks are recommended for non-absorbent facestocks, including films and coated stocks
 - Use a minimum amount of ink and fountain solution
 - Keep pH level between 4.5 to 5.5
 - To avoid ink set-off and blocking when printing films, we recommend a jar/press setting of .6/50 to .8/75 using a 25 to 35 micron particle size anti set-off spray. Using larger particle sizes may shorten drying time
- UV varnishes add gloss; matte or textured finishes provide UV, weather, moisture, and scuff resistance. Ensure UV varnish is compatible with your ink system; a thin coat is recommended for optimal curing
- Stocks that will be laser printed require specialty inks that can withstand the high temperatures and pressure of laser printers


Guillotine Cutting:

- Blade should be clean and sharp
- Reduce clamp pressure as much as possible
- Cut through the back of the stock with the face down
- Trim in small lifts

For more information, please contact your Clampitt Account Representative.


POCKET

STICK WITH CLAMPITT



BARNEY FIBER

**FIND ALL OF OUR LOCATIONS
AT CLAMPITT.COM**



BEN STICKIN

Product performance depends on many variables; testing for a specific application is recommended.

Coverglos, Covermatte, Digi, DiversiPrint, ForestView, Strip-Tac, and Ultra Matte are trademarks of Spinnaker Pressure Sensitive Products, LLC.
All other trademarks are the property of their respective owners. 7/23