


CLAMPITT

STICKER STOCK

FROM CLAMPITT PAPER COMPANY



BEN STICKIN

Digital & Offset

For ultimate performance and print reproduction, call the Paper People at Clampitt Paper Company and get your hands on the best selection of premium quality sticker stocks in the business!

Clampitt carries a complete line of pressure-sensitive materials for all your pressure-sensitive needs. So whether you're looking for an aggressive adhesion product or an all-purpose removable sticker stock, stick with Clampitt!

Clampitt Sticker Stock

Pressure Sensitive Paper & Film Products

	Size	GSM	S=Scored Liner/D=0-Split Liner	Permanent Adhesive #	Ultra Rem Adhesive #	Shots/Carroll
DiversiPrint® for production toner presses, laser printers, and copiers						
60# Gloss	8.5x11	198	S	5512275		1000
	12x18	198	S	5512276		200
55# Semi Gloss	12x18	193	S	5512272		200
60# Ultra Matte™	12x18	202	S	5512278		200
60# Bright White	8.5x11	202	S	5512273		1000
10% PCW and ink jet printable	12x18	202	S	5512274		200
Digital Dual Print for HP Indigo digital presses, production toner presses, and laser printers						
Matte White Digital Vinyl	12x18	273/270 [®]	S	5512281	5512282	200
Digi™ for HP Indigo digital presses						
Gloss Optimized	12x18	223	S	5512266		200
Semi Gloss	12x18	220	S	5512270		200
Matte	12x18	221	S	5512267		200
	13x19	221	S	5512290		200
Uncoated Finch Fine® iD	12x18	227	S	5512271		200
Multi-Purpose Die Cuts for production toner presses, laser printers, and copiers						
96 Bright White /	3 1/2 x 5	4 labels/sheet		5512259	Avery® template ref 5168™	1000
Permanent / 8.5x11	4 x 3 1/3	6 labels/sheet		5512260	5164™	1000
	4 x 2	10 labels/sheet		5512261	5163™	1000
	2 5/8 x 1	30 labels/sheet		5512262	5160™	1000
	3 1/3 Circles	6 labels/sheet		5509032		1000
	2 1/2 Circles	12 labels/sheet		5509035	5294™	1000
	2 Circles	20 labels/sheet		5509036		1000
50# Uncoated Name Badge / Acrylic Badge Adhesive with micro-perfs / 8.5x11	3 3/8 x 2 1/3	8 labels/sheet		5512263		1000
Offset-Printable						
60# High Gloss	8.5x11		S	5512244		1000
	17.25x22.25		S	5512245		500
	26x20		S	5512246		500
60# Semi Gloss	8.5x11		S	5512252		1000
	26x20		S	5512254		500
60# Offset	8.5x11		S	5512247		1000
	17.25x22.25		S	5512248		500
	26x20		S	5512249		500
60# Red Fluorescent	8.5x11		S	5512251		1000
60# Green Fluorescent	8.5x11		S	5512243		1000

For optimal printer settings, approvals and certifications, visit clampitt.com.

[®] Indicates GSM value for removable adhesive item.



DiversiPrint®

For Production Toner Presses, Laser Printers, and Copiers

	Size	GSM	Sc-Scored Liner/Dr-Split Liner	Permanent Adhesive #	Rem Adhesive #	Sheet/Carroll
DiversiPrint® Paper Products						
60# Gloss	8.5x11	198	S	5512275		1000
	12x18	198/209*	S	5512276	44501	200
	12x18	198	S	2128		500
	12x18	198	0	44638		200
	13x19	198	S	48700		200
55# Semi Gloss	12x18	193	S	5512272		200
	12x18	193	0	49038		200
60# Ultra Matte™	8.5x11	202	S	2133		1000
	12x18	202/213*	S	5512278	44503	200
	12x18	202	S	2131		500
	12x18	202	0	49041		200
60# Bright White 10% PCW and ink jet printable	8.5x11	202	S	5512273		1000
	8.5x11	202	0	2531		1000
	12x18	202	S	5512274		200
	12x18	202	S	2134		500
	12x18	202	0	44505		200
	12x18	202	0	2529		500
13x19	202	S	48701		200	
60# Gloss Cover-up	12x18	206	S	44506		200
60# Ultra Matte™ Cover-up	12x18	210	S	44507		200

DiversiPrint® Film and Specialty Products

Gloss White Laser Polyester	12x18	179	0	48321		200
Matte White Laser Polyester	12x18	183	0	45955		200
Gloss Clear Laser Polyester	12x18	185	0	44827		200
Digital Satin Cloth	12x18	262	S	45709		200

For Digital Printing

For optimal printer settings, approvals, and certifications, visit clampitt.com.

Clampitt Sticker Stock item numbers shown in **bold**; other item numbers reference Spinnaker Strip-Tac® brand. GSM denotes typical values. * Indicates GSM value for removable adhesive item.



Digital Dual Print Films

For HP Indigo Digital Presses, Production Toner Presses, and Laser Printers

	Size	GSM	Sc-Scored Liner/Dr-Split Liner	Permanent Adhesive #	Rem Adhesive # (Power Ultra Rem Adhesive # (Film))	Sheet/Carroll
7 Mil Digital Teslin®	12x18	251	S	44932		200
Matte White Digital Vinyl	12x18	273/270*	S	5512281	5512282	200
	12x18	273/270*	0	45511	45509	200
	13x19	273/270*	S	46759	46760	200
	29.5x20.5	273/270*	S	47675	47672	200
Matte Clear Digital Vinyl	12x18	264/261*	0	45508	45505	200
	13x19	264/261*	0	46761	46762	200

Digi™

For HP Indigo Digital Presses


Digi™ Paper Products

Gloss Optimized	12x18	223	S	5512266		200
	12x18	223	S	9799		500
	12x18	223	0	44639		200
	13x19	223	S	44509		200
	29.5x20.5	223	S	47524		200
Semi Gloss	12x18	220	S	5512270		200
	13x19	220	S	45684		200
Matte	12x18	221/238*	S	5512267	45687	200
	12x18	221	S	9801		500
	12x18	221	0	49039		200
	13x19	221	S	5512290		200
	29.5x20.5	221	S	47521		200
Uncoated Finch Fine® iD 10% PCW	12x18	227	S	5512271		200
	12x18	227	S	43099		500
	12x18	227	0	44640		200
	13x19	227	S	45683		200
8 Pt Tag Optimized	12x18	320	S	44514		200
Gloss Cover-up Optimized	12x18	232	S	44515		200
Matte Cover-up	12x18	231	S	44516		200

For optimal printer settings, approvals, and certifications, visit clampitt.com.

Clampitt Sticker Stock item numbers shown in **bold**; other item numbers reference Spinnaker Strip-Tac® brand. GSM denotes typical values. * Indicates GSM value for removable adhesive item.





Multi-Purpose Die Cuts

Designed for today's demanding digital print systems

All 96 Bright White 8¹/₂x11 die cut products (except S4401A) are manufactured with Adhesive-Free Edges, which offers trouble-free processing by eliminating adhesive from the outer 1/16" edge of the sheet.



Stock #	Labels/Sheet	Label Size	Inner carton packaging	Units/Carton	Aven [®] Template ref
---------	--------------	------------	------------------------	--------------	--------------------------------

96 Bright White Uncoated / Permanent / 8 ¹ / ₂ x11					
S4401A ^{*B}	1	8 ¹ / ₂ x 11	100 box	1000 [^]	5165 TM
S4402	2	8 ¹ / ₂ x 5 ¹ / ₂	100 box	1000 [^]	
S4304	4	4 x 5	100 box	1000 [^]	
5512259	4	3 ¹ / ₂ x 5	100 box	1000	5168 TM
S4704	4	3 x 5	100 box	1000 [^]	
S4404	4	4 ¹ / ₄ x 5 ¹ / ₂	100 box	1000 [^]	
5512260	6	4 x 3 ¹ / ₃	100 box	1000	5164 TM
S4306BK	6	4 x 3 ¹ / ₃	250 wrap	1000	5164 TM
S4308	8	4 x 2 ¹ / ₂	100 box	1000 [^]	
S4408	8	4 ¹ / ₄ x 2 ³ / ₄	100 box	1000 [^]	
5512261	10	4 x 2	100 box	1000	5163 TM
S4310BK	10	4 x 2	250 wrap	1000	5163 TM
S4512	12	2 x 3	100 box	1000 [^]	
S4314	14	4 x 1 ¹ / ₃	100 box	1000 [^]	5162 TM
S4320 ¹	20	4 x 1	100 box	1000 [^]	5161 TM
5512262²	30	2 ⁵ / ₈ x 1	100 box	1000	5160 TM
S4330BK ²	30	2 ⁵ / ₈ x 1	250 wrap	1000	5160 TM
S4350	50	1 ¹ / ₂ x 1	100 box	1000 [^]	
S4380	80	1 ³ / ₄ x 1 ¹ / ₂	100 box	1000 [^]	5167 TM

Circles					
5509032	6	3 ¹ / ₃ Circles	100 box	1000	
5509035	12	2 ¹ / ₂ Circles	100 box	1000	5294 TM
5509036	20	2 Circles	100 box	1000	
S4024	24	1 ² / ₃ Circles	100 box	1000 [^]	5293 TM
S4030	30	1 ¹ / ₂ Circles	100 box	1000 [^]	
S4063	63	1 Circles	100 box	1000 [^]	
S4120	120	3/4 Circles	100 box	1000 [^]	

CD/DVD Labels					
S4602	2	4 ⁵ / ₈ CD/DVD	100 box	1000 [^]	

60# Ultra Matte TM / Removable / 8 ¹ / ₂ x 11					
83455	6	3 ¹ / ₃ Circles	100 box	1000 [^]	
83456	20	2 Circles	100 box	1000 [^]	

Matte White Digital Vinyl / Ultra Removable / 12x18					
83454	6	5 ¹ / ₂ Circles	100 wrap	200	

Auto Window Sticker - 50# Uncoated with liner die cut / 8 ¹ / ₂ x11					
S4801RC	1	8 x 10	100 box	1000 [^]	

Name Badge - 50# BW Uncoated / Acrylic Badge Adhesive / 8 ¹ / ₂ x11					
5512263**	8	3 ³ / ₈ x 2 ¹ / ₃	100 box	1000	5395 TM

Door Seals - 60# Ultra Matte TM / Removable / 12x18					
83439	10	5 ¹ / ₂ x 3	100 wrap	200	

Custom Programs

Custom Die Cut Labels for Digital Printing

Wide variety of whites, colors, and film facestocks available

Order / Freight minimum as low as 1,000 sheets

Common digital sizes from 8¹/₂ x 11 to 14 x 20

Full Sheet Digital Express Program

When non-stocking digital sheet sizes are needed for maximum printer efficiency

Products include papers and films with permanent, removable, and ultra-removable adhesives, and cover-up products — most stocking constructions are available

8¹/₂ x 11, 8¹/₂ x 14, 11 x 17, 12 x 18, 13 x 19, and 14 x 20 sheet sizes qualify

Items are bulk packed in cartons

Order / Freight minimum is 1,000 sheets / maximum 10,000 sheets*

Leadtime typically 5 - 10 business days

Larger quantities and additional digital sizes may have a longer leadtime

Tips for printing DiversiPrint[®] pressure sensitive

PAPER PRODUCTS

Laser printing after offset printing:

- For best laser processing results, immediately package offset printed stock in a moisture barrier wrap

Desktop and mid-range printers:

- Feed through manual feed tray
- Use "heavy paper" setting or set to proper GSM for best toner anchorage

High-speed laser printers:

- For best feeding results, use the belt/friction feed loading tray and the top delivery tray
- Use the appropriate weight setting for best toner anchorage and feeding

FILM PRODUCTS

- For best toner anchorage, use appropriate weight or thickness setting, which on some printers is the "heavyweight" setting
- When printing clear, choose the "white" setting so the printer will recognize the liner
- Use the maximum amount of static elimination
- If a jam occurs, turn the sheets so that the opposite edge becomes the feed edge as the jam may have been caused by a bent corner

Tips for printing Digital Dual Purpose Films

- Condition stock at pressroom conditions for a minimum of 24 hours
- Set to appropriate GSM and/or caliper or use "heavyweight" setting
- If film is clear, use "white" setting
- For HP Indigo, the blanket temperature may be increased to improve ink anchorage
- Use the maximum amount of static elimination

Tips for printing DigiTM pressure sensitive

- Condition stock at pressroom conditions for a minimum of 24 hours
- For best ink anchorage and feeding results, use appropriate GSM or thickness setting
- To improve ink anchorage, the blanket temperature may be increased

For more information, please contact your Clampitt Account Representative.

Clampitt Sticker Stock item numbers shown in **bold**; other item numbers reference Spinnaker Strip-Tac[®] brand.

¹ indicates 1 vertical perf ² indicates 2 vertical perfs ^B indicates 2 backsplits [^] Items also sold in individual 100 sheet box

*adhesive suitable for guillotine cutting ** name badge stock features micro perfs between labels



Pressure Sensitive Products for Offset Printing

	Size	S	5-Scorad Liner / 0 = No Scores	Item # (Perm. Adhesive)	Item # (Rem. Adhesive)	Sht./Ctn.
White Papers	60# High Gloss	8.5x11	S	5512244		1000
		17.25x22.25	S	5512245		500
		17.25x22.25	0	2308		500
		26x20	S	5512246		500
		26x20	0	4543		500
	26x40	S	9933-1		100	
60# Semi Gloss	8.5x11	S	5512252			1000
	17.25x22.25	S	9770	2300		500
	17.25x22.25	0	2299			500
	26x20	S	5512254	5312		500
	26x20	0	5315			500
	26x20	S	44577			3000
	26x20	0	46598			3000
	26x40	S	9935-1			100
	26x40	0	9934-1			100
	60# Ultra Matte™	8.5x11	S	9603		
17.25x22.25		S	9769			500
17.25x22.25		0	2307			500
26x20		S	6186			500
26x20		0	6212			500
26x40	S	9938-1			100	
60# Offset	8.5x11	S	5512247	4436		1000
	17.25x22.25	S	5512248	2296		500
	17.25x22.25	0	2291			500
	26x20	S	5512249			500
	26x20	0	7985			500
60# Bright White	8.5x11	S	9604			1000
8 Pt C1S Tag	17x22	S	1614			500

Latex Impregnated

60# White Latex	17x22	S	3062			500
-----------------	-------	---	------	--	--	-----

60# Cover-ups

Coverglos™ (High Gloss)	17.25x22.25	S	9765			500
Semi Gloss Cover-up	17.25x22.25	S	2191			500
	26x20	S	44571			500
Covermatte™	8.5x11	S	9766			1000
	17.25x22.25	S	9767			500
Offset Cover-up	17.25x22.25	S	2280			500

	Size	S	5-Scorad Liner / 0 = No Scores	Item # (Perm. Adhesive)	Item # (Rem. Adhesive)	Sht./Ctn.
60# Fluorescents	Red	8.5x11	S	5512251		1000
		17x22	S	4368		500
Green	8.5x11	S	5512243			1000
	17x22	S	3037			500
Orange	8.5x11	S	9616			1000
	17x22	S	3038	1710		500
Chartreuse	8.5x11	S	5207			1000
	17x22	S	3039			500
Pink	8.5x11	S	9620			1000
	17x22	S	9328			500

60# Astrobrights®

Solar Yellow	8.5x11	S	9653			1000
	17x22	S	9323			500
Lunar Blue <small>30% PCW</small>	8.5x11	S	9723			1000
	17x22	S	9319			500
Orbit Orange <small>30% PCW</small>	8.5x11	S	9320			1000
	17x22	S	9321			500
Re-Entry Red <small>30% PCW</small>	8.5x11	S	9605			1000
Gamma Green <small>30% PCW</small>	8.5x11	S	9943			1000

Other Colors

60# Brown Kraft	17x22	S	9949			500
60# Natural Cream <small>30% PCW</small>	8.5x11	S	40835			1000


	Size	S	5-Scorad Liner / 0 = No Scores	Item # (Perm. Adhesive)	Item # (Rem. Adhesive)	Sht./Ctn.
Films	2 Mil TC Clear Polyester	27x20	0	14503		100
			90#			
3.4 Mil TC Matte White Vinyl	24x18	S	45405			100
	27x20	S		45407		100
	27x38	S	45415			100
	27x38	0		45410		100
7 Mil Teslin®	12x18	S	44932			200

Specialty

Satin Cloth	17.25x22.25	S	48801 (Badge)			100
-------------	-------------	---	---------------	--	--	-----

Foils

Bright Gold	20x26	0	3004			100
Bright Silver	20x26	0	2976			100



For Offset Printing



Print Tips

Custom Programs

Offset-Print Express Ship Program

When non-standard sheet sizes are needed for optimal print layout, use the Express Ship custom size program.

60# High Gloss	Permanent	80# no print liner, scored & no score
60# Semi Gloss	Permanent & Removable	80# no print liner, scored & no score
60# Ultra Matte™	Permanent	80# no print liner, scored & no score
60# Offset	Permanent	80# no print liner, scored & no score

Order Size: 1.5 MMSI - 30 MMSI. Freight prepaid at 1.5 MMSI.

Typically ships in 2 - 4 business days from Columbus, IN. Standard pallet pack only.

Custom packaging requirements and/or large sheet sizes may require additional time.

Custom Products

When a special face, adhesive, or liner construction or custom size is required, Spinnaker offers a full line of custom products to meet your application needs. Please contact your account manager with your specific application.

The following describes typical order minimums:

- Custom sizes from coated product in-house: 1.5 MMSI
- Custom coated product from stocking components: 3 MMSI
- Custom order components: paper mill minimum

Support

Visit spinps.com and mactac.com for product guides, data sheets, print tips, newsletters, and more.

Need to talk to someone? For product recommendations, application testing, troubleshooting, and printing tips, or other technical assistance, call the Technical Consulting Hotline at 1.877.210.5104 (8am to 5pm Eastern Time, Monday - Friday).

Tips for printing and converting Offset pressure sensitive

Storage:

- Store pressure sensitive stock on a flat surface in a cool dry area between 65 and 75 degrees at 50% relative humidity
- Break bands to relieve pressure on skid-packed stock
- Do not double stack skids or stack more than 5,000 sheets high
- Do not open sealed packages until ready to print
- Return unused stock to cartons or protective packaging

Press Preparation:

- Allow product to acclimate to shop conditions for at least 24 hours
- Clean and adjust grippers and guides to avoid miss-feeding through press
- Avoid loading stock higher than 6 inches
- Fan stock gently to separate before loading into press
- Reduce cylinder pressure as much as possible to prevent wrinkling

Inks and Varnish:

- Consult your ink supplier for recommendations based on pressure sensitive stock used
- Use a minimum amount of water and ink mixture for best results
- Fast drying oxidizing inks are recommended for non-absorbent facestocks, including films and coated stocks
 - Use a minimum amount of ink and fountain solution
 - Keep pH level between 4.5 to 5.5
 - To avoid ink set-off and blocking when printing films, we recommend a jar/press setting of .6/50 to .8/75 using a 25 to 35 micron particle size anti set-off spray. Using larger particle sizes may shorten drying time
- UV varnishes add gloss; matte or textured finishes provide UV, weather, moisture, and scuff resistance. Ensure UV varnish is compatible with your ink system; a thin coat is recommended for optimal curing
- Stocks that will be laser printed require specialty inks that can withstand the high temperatures and pressure of laser printers


Guillotine Cutting:

- Blade should be clean and sharp
- Reduce clamp pressure as much as possible
- Cut through the back of the stock with the face down
- Trim in small lifts

For more information, please contact your Clampitt Account Representative.


POCKET

STICK WITH CLAMPITT



BARNEY FIBER

**FIND ALL OF OUR LOCATIONS
AT [CLAMPITT.COM](https://www.clampitt.com)**



BEN STICKIN

Product performance depends on many variables; testing for a specific application is recommended.

Coverglos, Covermatte, Digi, DiversiPrint, ForestView, Strip-Tac, and Ultra Matte are trademarks of Spinnaker Pressure Sensitive Products, LLC. All other trademarks are the property of their respective owners. 7/23